



CATÁLOGO DE PRODUCTOS

ACERO INOXIDABLE	3-4
ACERO GALVANIZADO	5
LATÓN	6-7
ACERO	8-9
RIEGO	10-12
VÁLVULAS	13-14
REPUESTO AGRÍCOLA	15
TUBOS Y CHAPAS	16-17
TORNILLERÍA	18-19



ENTRONQUE

1/4" - 3/8" - 1/2" - 3/4" - 1" -
1 1/4" - 1 1/2" - 2" - 2 1/2" - 3"
- 4"



MANGUITO

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2"
- 3"



MACHÓN

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2"
- 3"



TAPÓN H

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2" -
3"



TAPÓN M

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2" -
3"



CODO HH

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2"



CODO MH

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2"



TE

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2"



TUERCA ENLACE

1/8" - 1/4" - 3/8" - 1/2" - 3/4" -
1" - 1 1/4" - 1 1/2" - 2" - 2 1/2"



MANGUITO REDUCIDO

Todas disponibles desde
1/8" a 2 1/2"



MACHÓN REDUCIDO

Todas disponibles desde
1/8" a 2 1/2"



TUERCA REDUCIDA

Todas disponibles desde
1/8" a 3"



CODO SOLDAR

De 18 mm a 323,9 mm



TE SOLDAR

De 18 mm a 168,3 mm



REDUCCIÓN CONCÉNTRICA

Todas disponibles desde ½" a 10"



BRIDA AISI-304 / 316

½" – ¾" – 1" – 1 ¼" – 1 ½"
– 2" – 2 ½" – 3" – 4" – 5"
– 6" – 8" – 10"



VALONA AISI-304

De 48,3 mm a 323,9 mm



FONDO CAP

½" – ¾" – 1" – 1 ¼" – 1 ½"
– 2" – 2 ½" – 3" – 4" – 5"
– 6" – 8" – 10"



ENTRONQUE MANGUERA

½"x15mm – ¾"x21mm –
1"x27mm – 1 ¼"x33mm – 1
½"x40mm



ROSCA-MANGUERA

¼" – 3/8" – ½" – ¾" – 1" – 1
¼" – 1 ½" – 2"



ESCAMA

¼" – 3/8" – ½" – ¾" – 1" – 1
¼" – 1 ½" – 2"



ABRAZADERA CLAMP

50mm, 75mm



RACOR ALIMENTARIO

DN 20, 25, 32, 40, 50, 65,
80, 100, 125 mm



ROTULA ENLACE

DN 50, 75, 100, 115 ,150
mm



MANGUITO

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



TUERCA REDUCIDA

Desde $\frac{1}{4}''$ a 4''



MACHÓN

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



CURVA 90° N5 MH

$3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



CODO 90° N3 MH

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



TAPÓN M

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



MANGUITO REDUCIDO

Desde $\frac{1}{4}''$ a 4''



TUERCA ENLACE

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



CURVA 90° N5 HH

$3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



CODO 90° N3 HH

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



TE

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$



TAPÓN H

$\frac{1}{4}'' - 3/8'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$

TUERCA ENLACE HH



$\frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}''$
 $- 2'' - 2\frac{1}{2}'' - 3''$

TUERCA ENLACE MH



$\frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}''$
 $- 2''$

CODO HH



$\frac{3}{8}'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' -$
 $1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$

MANGUITO REDUCIDO



Desde $\frac{1}{4}''$ a $2\frac{1}{2}''$

TUERCA REDUCIDA



Desde $\frac{1}{8}''$ a $4''$

MACHÓN



$\frac{1}{8}'' - \frac{1}{4}'' - \frac{3}{8}'' - \frac{1}{2}'' -$
 $\frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2''$
 $- 2\frac{1}{2}'' - 3'' - 4''$

MACHÓN REDUCIDO



Desde $\frac{1}{4}''$ a $3''$

TAPÓN M



$\frac{1}{4}'' - \frac{3}{8}'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' -$
 $1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' -$
 $3'' - 4''$

TAPÓN H



$\frac{1}{4}'' - \frac{3}{8}'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' -$
 $1\frac{1}{4}'' - 1\frac{1}{2}'' - 2''$

MANGUITO



$\frac{3}{8}'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' -$
 $1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3'' - 4''$

TE



$\frac{1}{4}'' - \frac{3}{8}'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' -$
 $1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' -$
 $3'' - 4''$

CRUZ



$\frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}''$
 $- 2''$

CODO MH



$\frac{3}{8}'' - \frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2'' - 2\frac{1}{2}'' - 3''$

CURVA MH



$\frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2''$

CURVA HH



$\frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2''$

RACOR BARCELONA MM



$\frac{1}{2}'' - \frac{3}{4}'' - 1'' - 1\frac{1}{4}'' - 1\frac{1}{2}'' - 2''$

RACOR BARCELONA MANGUERA-MANGUERA



20, 25, 30, 35, 40, 45, 50, 60 mm

RACOR BARCELONA M-MANGUERA



$\frac{3}{4}'' \times 25 - 1'' \times 30 - 1\frac{1}{4}'' \times 35 - 1\frac{1}{2}'' \times 45 - 2'' \times 60$

BEBEDERO



$\frac{1}{2}''$

ALARGADERA MH PE



1''

MANGUITO EMPALME PE



32, 40, 50 mm

CODO ESCAMA PE



32 mm

TE ESCAMA PE



1''

CURVA N3



½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3", 4", 5", 6", 7", 8", 10", 12", 14", 16", 20"

TE



½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3", 4", 5"

CODOS STD WPD



½", ¾", 1", 2", 3", 4", 5", 6"

BRIDA PN10



½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3", 3 ½", 4", 5", 6", 7", 8", 10", 12", 14", 16", 18", 20", 24"

BRIDA CIEGA



1", 1 ¼", 1 ½", 2", 2 ½", 3", 3 ½", 4", 5", 6", 7", 8", 10", 12"

ANILLO BRIDA LOCA



2", 2 ½", 3", 4", 5", 6", 8", 10", 12"

CURVA N5



½", ¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3", 4", 5", 6", 7", 8", 10", 12"

FONDO CAP



¾", 1", 1 ¼", 1 ½", 2", 2 ½", 3", 4", 5", 6", 7", 8", 10", 12", 14", 16"

BRIDA RIEGO



1 ½", 2", 2 ½", 3", 3 ½", 4", 5", 6", 7", 8", 10", 12"

BRIDA ROSCADA



1", 1 ¼", 1 ½", 2", 2 ½", 3", 4"

BRIDA PVC



63, 75, 90, 110, 125, 140, 160, 180, 200, 250, 315, 400, 500 mm

REDUCCIÓN CONCÉNTRICA



Desde ¾" a 14"



REDUCCIÓN EXCÉNTRICA

Desde 1" a 14"



BOBINA ROSCADA

$\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", $1\frac{1}{4}$ ", $1\frac{1}{2}$ ", 2", $2\frac{1}{2}$ ", 3", $3\frac{1}{2}$ ", 4"



EMPALME-ROSCA

$\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", $1\frac{1}{4}$ ", $1\frac{1}{2}$ ", 2", $2\frac{1}{2}$ ", 3", $3\frac{1}{2}$ ", 4", 5", 6"



EMPALME-EMPALME

30, 40, 50, 60, 75, 80, 90, 100, 110, 125, 140, 150, 200, 250 mm



COLETE RANURADO

30, 40, 50, 60, 75, 80, 90, 100, 110, 125, 140, 150, 200, 250 mm



MANGUITO FORJADO

$\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", $1\frac{1}{4}$ ", $1\frac{1}{2}$ ", 2", $2\frac{1}{2}$ ", 3", 4", 5"



PASANTE

110, 125, 140, 160, 200,
250, 315, 400



COLLARÍN

40, 50, 63, 75, 90, 110,
125, 140, 160, 180, 200,
250, 315



ENLACE VICTAULIC

1 ½", 2", 3", 4", 5", 6", 7", 8"



MACHO SOLDAR

40, 50, 60, 75, 80, 90,
100, 125, 150, 200 mm



HEMBRA SOLDAR

40, 50, 60, 75, 80, 90,
100, 125, 150 mm



ABRAZADERA GALVA

De 20 a 350 mm



UNIÓN GIBAULT

50, 63, 75, 90, 110, 125,
140, 160, 180, 200, 250,
315, 400 mm



TUBO VICTAULIC

1", 1 ½", 2", 2 ½", 3", 3 ½",
4", 5", 6", 7", 8", 10", 12"



MACHO MANGUERA

40, 50, 60, 75, 80, 90,
100, 125, 150 mm



HEMBRA MANGUERA

40, 50, 60, 75, 80, 90,
100, 125, 150 mm



ABRAZADERA INOX

De 29 a 174 mm



TRINEO

Grande
Pequeño

ABRAZADERA ISOFÓNICA



2", 2 ½", 3"

JUNTA PLANA



1", 1 ¼", 1 ½", 2", 2 ½", 3",
4", 5", 6", 7", 8", 10", 12",
14", 16", 18", 20", 24"

JUNTA TÓRICA



63, 75, 90, 110, 125, 140,
150, 160, 180, 200, 250,
300, 315, 350, 400, 500

JUNTA SINTÉTICA



50, 65, 80, 100, 125, 150,
200, 250, 300, 400, 500mm

ASPERSOR LATÓN



VYR70 – VYR50- SECTORIAL
VYR50 – VYR60

ASPERSOR PLÁSTICO



VYR66 – F44

HEMBRA ALUMINIO



2", 3", 4", 5", 6"

MACHO ALUMINIO



2", 3", 4", 5", 6"

CODO ALUMINIO



2", 3", 4", 5", 6"

TE ALUMINIO



2", 3", 4", 5"

CRUZ ALUMINIO



2", 3", 4"

TAPÓN ALUMINIO




2", 3", 4", 5"



MANGUERA ASPIRACIÓN

30, 40, 50, 60, 75, 80, 90,
100, 110, 125, 150, 200
mm



MANGUERA ASPIRACIÓN GRIS

50, 60, 75, 90, 100, 110,
125, 150 mm



MANGUERA IMPULSIÓN 5AT

40, 50, 60, 70, 77, 80, 90,
100, 110, 125, 150, 200
mm



MANGUERA IMPULSIÓN OROFLEX 10ATM

30, 45, 60, 65, 70, 76, 80,
90, 102, 110, 115, 127,
152, 204 mm



MANGUERA JARDÍN

20 mm



MANGUITO FLEXIBLE

32, 40, 50, 65, 80, 100,
125, 150, 200, 250, 300
mm



MANÓMETRO

2, 5, 4, 6, 10, 25 KG



COMPUERTA LATÓN

3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2",
2 1/2", 3", 3 1/2", 4"



ESFERA

1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1
1/2", 2", 2 1/2", 3", 4"



GRIFOS ESFERA

1/2", 3/4", 1"



ESFERA MINI HH

1/8", 1/4", 3/8", 1/2"



ASPIRACIÓN-RETENCIÓN LATÓN

1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2
1/2", 3", 4"



RETENCIÓN DOBLE PLATO

40, 50, 65, 80, 100, 125,
150, 200, 250 mm



RETENCIÓN CLAPETA

1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2
1/2", 3", 4"



COMPUERTA BRIDA

65, 80, 100, 125, 150, 200,
250, 300 mm



COMP. BRIDA CIERRE ELÁSTICO

50, 65, 80, 100, 125, 150,
200, 250 mm



MARIPOSA

40, 65, 80, 100, 125, 150,
200, 250, 300 mm



MARIPOSA ASIENTO INOX

40, 65, 80, 100, 125, 150,
200, 250 mm



DE PIE BRIDA GALVA

80, 100, 125, 150, 200,
250, 300 mm



DE PIE BRIDA FUNDIDO

80, 100, 125, 150, 200,
250 mm



DE PIE COLETE GALVA

50, 63, 70, 75, 80, 90, 100,
110, 125, 150, 200 mm



DE PIE COLETE FUNDIDO

45, 50, 60, 70, 75, 80, 90,
100, 110, 125, 150 mm



DE PIE ASIENTO INOX

80, 100, 125, 150, 200,
250 mm



VAPOR FUNDICIÓN

20, 32, 40, 50 mm



ESFERA INOX

$\frac{1}{4}$ ", $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", 1 $\frac{1}{4}$ ", 1
 $\frac{1}{2}$ ", 2", 2 $\frac{1}{2}$ ", 3"



RETENCIÓN INOX

$\frac{1}{2}$ ", $\frac{3}{4}$ ", 1", 1 $\frac{1}{4}$ ", 1 $\frac{1}{2}$ ", 2"



VÁLV. Y ABREVÁLVULA TECNI-RAIN

1"



ALUMINIO TIPO B

1"



CHAMSA

1"



ALUMINIO TIPO HUMET

1"



JUNTA VALVULA PIE

50/60 – 70/75 – 80/90 –
100/110 – 125 – 150

RODAMIENTOS



6003 – 6011
6201 – 6214
6301 – 6313
30204- 32305

SELLO ROTEN / UNITEN



15, 16, 17, 18, 19, 20, 22,
24, 25, 28, 30, 32, 35

SELLO MECANICO



8, 9, 10, 12, 15, 17, 19, 20,
22, 24, 25, 28, 30, 35, 40

PASADORES



2, 3, 3'5, 4'5, 5, 6, 7, 8 mm

RECAMBIO SAMIFLEX



A-1, A-2, A-3, A-4, A-5

FRENILLO



Desde eje 8 mm a eje 150
mm (interior y exterior)

RETENES



Desde 25 mm a 250 mm

SELLO TSC



15, 16, 18, 20, 22, 24, 25,
28, 30

TACOS SILENTBLOCK



20-20 / 30-30 / 40-40/
50-35/ 50-40 / 50-50 /
60-60 / 70-50/ 80-80

FLECTOR SAMIFLEX



A-1, A-2, A-3, A-4, A-5

EMPAQUETADURA



6, 8, 10, 12, 14, 16, 18 mm

ENGRASADORES



Recto, curvo, semicurvo

TUBERÍA NEGRA

Desde 3/8" a 20"



TUBO CUADRADO Y RECTANGULAR NEGRO

Desde 20 a 120 mm



TUBO ACERO DIN 2440

1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6", 12"



TUBERÍA GALVANIZADA

3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6"



TUBERÍA INOXIDABLE

Desde 10 a 323 mm



TUBO CUADRADO Y RECTANGULAR INOX

Desde 15 a 100 mm



PERFILES HIERRO

20, 25, 30, 40, 50, 60 mm



PERFILES INOX

20, 25, 30, 40, 50, 60 mm



PLETINA HIERRO

Desde 20 a 100 mm




PLETINA INOX

Desde 20 a 100 mm



VÁSTAGO CROMADO

15, 16, 18, 20, 22, 25, 30, 32, 35, 38, 40, 45, 50, 55, 60, 65, 70, 75, 80, 90 mm



CALIBRADO


6, 8, 12, 13, 14, 16, 18, 20, 22, 25, 30, 32, 35, 38, 40, 45, 50, 55, 60, 65, 70, 75, 80, 90 mm






PERFIL CHAVETA

Desde 4x4 a 20x20




CHAPA HIERRO

1'5, 2, 3, 4, 5, 6, 8, 10 mm



CHAPA INOXIDABLE 304

1'5, 2, 3, 4, 5, 6, 8, 10 mm



CHAPA INOXIDABLE 316

1'5, 2, 3, 4, 5, 6, 8, 10 mm



CHAPA ALUMINIO

0'5, 1, 1'5, 2, 3 mm



CHAPA PERFORADA

Espesor: 1'5, 2, 3 mm
Taladro: 6, 8, 10, 12, 14, 16 mm




CHAPA PERFORADA INOX

Espesor: 1'5, 2, 3 mm
Taladro: 6, 8, 10, 12, 14, 16 mm



CHAPA ANTIDESLIZANTE HIERRO

2000x1000 de 3/5 mm




CHAPA ANTIDESLIZANTE INOX

2000x1000 de 3/5 mm



CHAPA ANTIDESLIZANTE ALUMINIO

2000x1000 de 3/5 mm



PERFIL TRAMEX

2000X1000
1000X1000

TORNILLO GALVANIZADO



24, 22, 20, 18, 16, 14, 12, 10,
8, 6, 5, 4 mm

TORNILLO ACERO 8.8



24, 22, 20, 18, 16, 14, 12, 10,
8, 6 mm

TORNILLO INOX



22, 20, 18, 16, 14, 12, 10, 8,
6, 5 mm

ESPARRAGOS ALLEN



20, 18, 16, 14, 12, 10, 8, 6,
5 mm

TORNILLO ALLEN INOX



16, 14, 12, 10, 8, 6, 5 mm

TORNILLO INOX AVELLANADO



14, 12, 10, 8, 6, 5 mm

TORNILLO ALLEN



20, 18, 16, 14, 12, 10, 8, 6,
5 mm

ACERO 8.8 WHITWORTH



$\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{7}{16}$, $\frac{1}{2}$,
 $\frac{9}{16}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1 W

TUERCA WHITWORTH



$\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{7}{16}$, $\frac{1}{2}$,
 $\frac{9}{16}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1"

TUERCA SAE ALMENADA



$\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, 1 $\frac{1}{8}$, 1 $\frac{1}{4}$,
1 $\frac{3}{8}$, 1 $\frac{1}{2}$, 2 W

TUERCA GALVANIZADA



30, 27, 24, 22, 20, 18, 16, 14,
12, 10, 8, 6, 5, 4 mm

TUERCA ACERO 8.8



24, 22, 20, 18, 16, 14, 12, 10,
8, 7, 6 mm



TUERCA INOXIDABLE

30, 27, 24, 22, 20, 18, 16, 14,
12, 10, 8, 6, 5, 4 mm



TUERCA AUTOBLOCANTE

24, 22, 20, 18, 16, 14, 12, 10,
8, 6, 5 mm



TUERCA AUTOBLOCANTE INOX

20, 18, 16, 14, 12, 10, 8, 6,
5 mm



ARANDELAS PLANAS INOX Y GALVA

60, 50, 45, 40, 35, 30, 28,
24, 22, 20, 18, 16, 14, 12,
10, 8, 6 mm



ARANDELAS GROWER INOX Y GALVA

30, 25, 22, 20, 18, 16, 14,
12, 10, 8, 6 mm



ARANDELAS ALA ANCHA INOX Y GALVA

24, 22, 20, 18, 16, 14, 12,
10, 8, 6 mm



ABARCON

1", 1 ¼", 1 ½", 2", 2 ½", 3",
4", 5", 6", 8"



VARILLA ROSCADA INOX

30, 25, 22, 20, 18, 16, 14,
12, 10, 8, 6 mm



VARILLA ROSCADA GALVA

30, 25, 22, 20, 18, 16, 14,
12, 10, 8, 6 mm



VARILLA ROSCADA W

¼, 5/16, 3/8, 7/16, ½, 9/16,
5/8, ¾, 7/8, 1, 1 1/8, 1 ¼, 1
3/8, 1 ½, 1 ¾, 2" W



**TALLERES RAMOS CERRATO, S.L.
CALLE HERREROS, 19 - POL. IND. SAN ISIDRO
06400 DON BENITO (BADAJOZ)**